AAAAAAA AAAAAAA AAAAAAA	00000000000 00000000000 00000000000	0000000000 0000000000 0000000000
AAA AAA AAA AAA	(((((((((CCC CCC CCC
AAA AAA AAA AAA	000 000 000 000	000 000 000 000
AAA	000 000 000 000	000 000 000 000
AAA AAA AAA AAA		
AAA AAA	000000000000000000000000000000000000000	000000000000000000000000000000000000000

00000000 00000000 00000000 MM MM MMMM MI-MM MM I AAAAA MM MMM MMMM MM MM MM MM MM MM MM MM PP PP PP AA AA AA AA AA MM MM MM MM MM MM MM MM MM MM

Module Name	Ident	Bytes	File		Creation Date	Creator
ACC	v04-000	13860	\$255\$DUA28:F	ACC.OBJ]ACC.OLB;1	15-Sep-1984 23:36	VAX-11 Bliss-32 V4.0-742
ACCMSG	v04-000	42	\$255\$DUA28:[/	ACC.GBJJACC.OLB;1	15-SEP-1984 23:53	VAX-11 Message V04-00
FILES	V04-000		\$255\$DUA28:[/	ACC.OBJJACC.OLB:1	15-Sep-1984 23:40	VAX-11 Bliss-32 V4.0-742
FORMAT	v04-000	8058	~\$255\$DUA28:[/	ACC.OBJ]ACC.OLB:1	15-Sep-1984 23:41	VAX-11 Bliss-32 V4.0-742
SUMMARY	V04-000	2403	_\$255\$DUA28:[/	ACC.OBJ]ACC.OLB:1	15-Sep-1984 23:49	VAX-11 Bliss-32 V4.0-742
UTILITY	v 04-000	939	-\$255\$DUA28:[/	ACC.OBJ]ACC.OLB:1	15-Sep-1984 23:51	VAX-11 Bliss-32 V4.0-742
SYMBOLS	v04-000	789	-\$255\$DUA28:[/	ACC.OBJ]ACC.OLB:1	15-Sep-1984 23:52	VAX-11 Bliss-32 V4.0-742
SYMBOLMSG	0	1701	\$255\$DUA28:[/	ACC.OBJJACC.OLB;1	15-SEP-1984 23:53	VAX-11 Message V04-00
CVTTIME	v04-000	996	\$255\$DUA28:[SYSOBJ]CLIUTL.OLB;1	15-SEP-1984 23:39	VAX/VMS Macro_V04-00
CI ISINTERFACE	V04-000	516	\$255\$DUA28:[SYSLIB]STARLET.OLB;2	16-Sep-1984 00:32	VAX-11 Bliss-32 V4.0-742
CLISGLOBALS	y04-0 00	Ŏ	_\$255\$DUA28:L	SYSLIBISTARLET.OLB; 2	15-SEP-1984 23:38	VAX/VMS Macro V04-00
LIBSMSGDEF	2-018	Ŭ	_\$255\$DUA28:L	SYSLIB]STARLET.OLB;2	15-SEP-1984 23:43	VAX-11 Message V04-00
SYS\$P1_VECTOR	V04-000	Ŏ	_\$255\$DUA28:L	SYSLIBISTARLET OLB 2	16-SEP-1984 00:40	VAX/VMS Macro V04-00
LIBRTL	V04-000	Ŏ	32333DUA28:L	SYSLIBILIBRTL.EXE;	16-SEP-1984 04:00	VAX-11 Linker V04-00
SCRSHR	V04-000	Ŭ	_32333VUA28:L	SYSLĪBĪSCRSHR.ĒXĒ;1	16-SEP-1984 04:04	VAX-11 Linker V04-00
SORTSHR	v04-000	ŏ	\$255\$DUA28:[SYSLIBISORISHR.FXF:1	16-SEP-1984 04:16	VAX-11 Linker V04 00

Image Section Synopsis!

Cluster	Type	Pages	Base Addr	Disk VBN P	F C	Prote	ction	and Paging	Global Sec. Name	Match	Majorid	Minorid
DEFAULT_CLUSTER	0	15 45	0000200 00002000 P-00007A00	17 42	000	READ		COPY ON REF				
	0 0 253	1 2 20	P-00007800 00008200 00008400 7FFFD800	62 66 67 0	0000	READ	WRITE		3			
LIBRTL	3	111	00000000-I			READ		DEMAND ZERO	LIBRTL_001 LIBRTL_002	LESS/EQUAL	1	11 11
SCRSHR	3 4 2	14 1 1	00000000-1 00001000-1 00001E00-1	R Ŏ	0		ONLY WRITE WRITE		SCRSHR_001 SCRSHR_002 SCRSHR_003	LESS/EQUAL LESS/EQUAL LESS/EQUAL	1 1	2900 2900 2900
SORTSHR	3 4 4 2	78 1 1	00000000-F 00009000-F P-00009E00-F 0000A000-F	R Ö	0	READ	ONLY WRITE WRITE WRITE	COPY ON REF	SORTSHR_001 SORTSHR_002 SORTSHR_003 SORTSHR_004	LESS/EQUAL LESS/EQUAL LESS/EQUAL LESS/EQUAL	2	26 26 26 26

Key for special characters above:

R - Relocatable ! P - Protected !

•

Program Section Synopsis!

Psect Name	Module Name	Base	End	Length	Align	Attributes	
\$GLOBAL\$	ACC SYMBOLS	00000200	0000037F	00000280 (00000180 (00000100 (640.) LONG 2 384.) LONG 2 256.) LONG 2	NOPIC, USR, CON, REL, LCL, NOSHR, NOEXE,	RD, WRT, NOVEC
SOUNS	ACC			00000314 (00000314 (788.) LONG 2 788.) LONG 2	NOPIC, USR, CON, REL, LCL, NOSHR, NOEXE,	RD, WRT, NOVEC
DATA	ACC FILES FORMAT SUMMARY UTILITY	00000794 00001070 00001B10 00001DA8	0000107B 00001B0F 00001DA7 00001E7B	000017E4 (000008E8 (00000A94 (00000298 (000000D4 (000000FC (6116.) LONG 2 2280.) LONG 2 2708.) LONG 2 664.) LONG 2 212.) LONG 2 252.) LONG 2	NOPIC, USR, CON, REL, LCL, NOSHR, NOEXE,	RD, WRT, NOVEC
\$CODE\$	SYMBOLS CLISINTERFACE	00002000	00002214	0000041C (00000215 (00000204 (1052.) LONG 2 533.) LONG 2 516.) LONG 2	NOPIC, USR, CON, REL, LCL, NOSHR, EXE,	RD, NOWRT, NOVEC
CODE	ACC FILES FORMAT SUMMARY UTILITY	0000241C 00004CBC 00004DD4 00006AB8	00004CB9 00004DD1 00006AB5 00007346	000051DB (0000289E (00000116 (00001CE2 (0000088F (000002AF (20955.) LONG 2 10398.) LONG 2 278.) LONG 2 7394.) LONG 2 2191.) LONG 2 687.) LONG 2	NOPIC, USR, CON, REL, LCL, NOSHR, EXE,	RD, NOWRT, NOVEC
_CNVCL1_CODE	CVTTIME			00000358 (00000358 (856.) LONG 2 856.) LONG 2	NOPIC, USR, CON, REL, LCL, NOSHR, EXE,	RD, NOWRT, NOVEC
_CNVCLI_STATE	CATTIME	00007950 00007950	000079DB 000079DB	0000008C (00000000	140.) BYTE 0 140.) BYTE 0	NOPIC, USR, CON, REL, LCL, NOSHR, EXE,	RD, NOWRT, NOVEC
_LIB\$KEYO\$	ACC			00000000 (00000000 (0.) WORD 1 0.) WORD 1	PIC,USR,CON,REL,LCL, SHR, EXE,	RD, NOWRT, NOVEC
_L1B\$STATE\$	ACC			0000000A (10.) WORD 1 10.) WORD 1	PIC,USR,CON,REL,LCL, SHR, EXE,	RD, NOWRT, NOVEC
MSG\$AAAAAAAAA	SYMBOLMSG			00000010 (00000010 (16.) LONG 2 16.) LONG 2		RD, NOWRT, VEC
MSG\$AAAAAAAAA	SYMBOLMSG			00000004 (00000004 (4.) LONG 2 4.) LONG 2	PIC, USR, CON, REL, LCL, NOSHR, NOEXE,	RD, NOWRT, VEC
MSGSAAAAAAAAAA	SYMBOLMSG			00000004 (00000004 (4.) LONG 2 4.) LONG 2		RD, NOWRT, VEC
MSG\$SECTION	SYMBOLMSG			0000068D (0000068D (1677.) BYTE 0 1677.) BYTE 0		RD, NOWRT, VEC

_\$255\$DUA28:[AC	C.OBJJACC.EXE:1				G 1 16-SEP-1984 04:	24	VAX-11 Linker V04-00		Page	4
Psect Name	Module Name	Base	End	Length	Alig	in	Attributes			
MSGPTRSAAAAAAAA	ACCMSG		0000820F 0000820F	00000010 (00000010 (16.) LONG 16.) LONG	2 P	IC, USR, OVR, REL, LCL, NOSHR, NOEXE,	RD,	WRT,	VEC
MSGPTR\$AAAAAAAB	ACCMSG	00008210 00008210	00008213 00008213	00000004 (00000004 (4.) LONG 4.) LONG	2 P	IC, USR, CON, REL, LCL, NOSHR, NOEXE,	RD,	WRT,	VEC
MSGPTR\$AAAAAAAC	ACCMSG		00008217 00008217	00000004 (4.) LONG 4.) LONG	2 P	IC, USR, OVR, REL, LCL, NOSHR, NOEXE,	RD,	WRT,	VEC
MSGPTR\$SECTION	ACCMSG	00008218 00008218	00008229 00008229	00000012 (18.) BYTE 18.) BYTE	0 P	IC, USR, CON, REL, LCL, NOSHR, NOEXE,	RD,	WRT,	VEC

Symbol Cross Reference .

Symbol	Value	Defined By	Referenced By			
ACCS_FACILITY ACCS_INPUT	0000009F 009F800B	ACCMSG ACCMSG	ACC	FILES	FORMAT	SUMMARY
ACC\$_INVACCREC	009f 8028	ACCMSG	UTILITY ACC	FILES	FORMAT	SUMMARY
ACCS_MERGE	009F8013	ACCMSG	UTILITY ACC	FILES	FORMAT	SUMMARY
ACC\$_TITLETRUNC	009f 8 020	ACCMSG	UTILITY ACC	FILES	FORMAT	SUMMARY
ACCS_TOTAL	009f 801B	ACCMSG	UTILITY ACC	FILES	FORMAT	SUMMARY
ACCOUNT_DESC ACCOUNT_SWITCH ADDRESS_DESC ADDRESS_SWITCH ADD_RECORD	00000C08-R 00000D60-R 00000C10-R 00000D64-R 00002000-R	ACC ACC ACC ACC SYMBOLS	UTILITY FORMAT FORMAT			
ADD_SYMBOL	00002082-R	SYMBOLS	ACC UTILITY	FILES	FORMAT	SUMMARY
ALLOCATE	000021D1-R	SYMBOLS	ACC UTILITY	FILES	FORMAT	SUMMARY
A_DATE_BUF A_DATE_DESC BEFORE_DATE BUCKET_SIZE BUFFERED_IO_DESC CLEDITS_FACTLITY CLISDCL_PARSE	00000E54-R 00000E6C-R 00000FF0-R 00000F68-R 00000C18-R 0000009B 000022E7-R	ACC ACC ACC ACC SYMBOLMSG CLISINTERFACE	SUMMARY FORMAT			
CLISDISPATCH CLISGET_VALUE CLISNEXT_QUAL	00002398-R 00002258-R	CLISINTERFACE CLISINTERFACE	ACC	FILES	SUMMARY	
CLISPRESENT CLIS_ABSENT CLIS_COMMA CLIS_CONCAT CLIS_CONCAT CLIS_DEFAULTED CLIS_LOCNEG CLIS_NEGATED CLIS_NEGATED CLIS_NOCOMD CLIS_PRESENT CONVERTED_UIC CPU_TIME_DESC CUSTOMER DATE_DESC_ADDR DATE_DESC_ADDR DATE_HEADER DAY_DESC DCLSSCOPY_DXDX DEALLOCATE DELETE_LIST	000023D9-R 00002218-R 000381F0 0003FD39 0003FD21 00038230 0003FD31 000381F8 000380B0 0003FD19 00000BEC-R 00000BDO-R 00000BDO-R 00000BDO-R 00000BB-R 00000BB-R 00000BB-R 00000BB-R	CLISINTERFACE CLISGLOBALS ACC ACC ACC ACC ACC ACC SYMBOLS SYMBOLS	UTILITY CLISINTERFACE CLISINTERFACE CLISINTERFACE CLISINTERFACE CLISINTERFACE CLISINTERFACE CLISINTERFACE CLISINTERFACE CLISINTERFACE FORMAT FORMAT FORMAT FORMAT			

Symbol	Value	Defined By	Referenced By			
DELETE_SYMBOL DELETE_SYMBOLS DIRECT_IO_DESC ELAPSED_DESC ELAPSED_TIME ENTRY_DESC ENTRY_SWITCH EXECUTION_DESC FILE_DESC FIND_RECORD FIND_WATERMARK	00002161-R 000021A4-R 00000C28-R 00000C38-R 00000BF8-R 00000C30-R 00000C40-R 00000C40-R 00000C48-R 00002039-R 00006EC0-R	SYMBOLS SYMBOLS ACC ACC ACC ACC ACC ACC ACC SYMBOLS SUMMARY	FORMAT FORMAT FORMAT FORMAT FORMAT	FILES	FORMAT	SUMMARY
FINISH_TIME_DESC FIRST_DATE GROUP HANDLER	00000C50-R 00u01008-R 00000BE4-R 00007599-R	ACC ACC ACC UTILITY	FORMAT SUMMARY ACC UTILITY	FILES	FORMAT	SUMMARY
HOLD_BIOCNT HOLD_CPUTIM HOLD_DIOCNT HOLD_ELAPSED HOLD_EXECUTION HOLD_GETCNT HOLD_PAGETLTS HOLD_PAGETLTS HOLD_PAGETLTS HOLD_PAGETLTS HOLD_VOLUMES HOLD_WSPEAX HOUR_DESC IDENT_DESC IDENT_SWITCH IMAGE_DESC IMAGE_FILE_DESC IMAGE_SWITCH INPUT_RAB	00000B94-R 00000BC4-R 00000B98-R 00000BAC-R 00000BAC-R 00000BAC-R 00000BBC-R 00000BBC-R 00000BBC-R 00000BCC-R 00000BCC-R 00000EBC-R 00000C58-R 00000C58-R 00000C60-R 00000C60-R 00000T70-R 00001980-R 00001980-R 00001980-R 00001980-R	ACC ACC ACC ACC ACC ACC ACC ACC ACC ACC	FORMAT FORMAT FORMAT ACC ACC ACC ACC FORMAT			
LAST DATE LIBSADDX	00001000-R 0000 84 6C-RX	ACC LIBRTL	SUMMARY ACC UTILITY	FILES	FORMAT	SUMMARY
LIB\$CVT_ATIME LIB\$CVT_DTB	0000777D-R 00008474-RX	CVTTIME	ACC UTILITY	FILES	FORMAT	SUMMARY
LIB\$CVT_HTB	000077A8-R 00008478-RX	CVTTIME LIBRTL	ACC	FILES	FORMAT	SUMMARY

1. į, į.

			10 027 1	707 04164	THE THE TOTAL	, 39
Symbol	Value	Defined By	Referenced By			
LIBSCVT_TIME	0000763C-R	CVTTIME	UTILITY ACC	FILES	FORMAT	SUMMARY
LIBSDAY	0000847C-RX	LIBRTL	UTILITY ACC	FILES	FORMAT	SUMMARY
LIBSFILE_SCAN	00008480-RX	LIBRTL	UTILITY ACC	FILES	FORMAT	SUMMARY
LIBSFREE VM LIBSGET VM LIBSICHÄR	000084A4-RX 000084A8-RX 00008484-RX	LIBRTL LIBRTL LIBRTL	UTILITY CLISINTERFACE CLISINTERFACE ACC	SYMBOLS SYMBOLS FILES	FORMAT	SUMMARY
LIB\$LOOKUP_KEY	00008488-RX	LIBRTL	UTILITY ACC	FILES	FORMAT	SUMMARY
LIB\$SCOPY_DXDX LIB\$SIGNAC	0000848C-RX 00008490-RX	LIBRTL LIBRTL	UTILITY CVTTIME ACC SYMBOLS	FILES UTILITY	FORMAT	SUMMARY
L1B\$SUBX	00008470-RX	LIBRTL	ACC UTILITY	FILES	FORMAT	SUMMARY
LIB\$SYS_ASCTIM	00008494-RX	LIBRTL	ACC UTILITY	FILES	FORMAT	SUMMARY
LIB\$SYS_FAO	00008498-RX	LIBRTL	ACC UTILITY	FILES	FORMAT	SUMMARY
LIB\$SYS_FAOL	0000849C-RX	LIBRTL	ACC UTILITY	FILES	FORMAT	SUMMARY
LIB\$TPARSE	000084A0-RX	LIBRTL	ACC UTILITY	FILES	FORMAT	SUMMARY
LIBS_INPSTRTRU LOG_FILFNAME	0015821C 0000741B-R	LIB\$MSGDEF UTILITY	FORMAT ACC UTILITY	FILES	FORMAT	SUMMARY
LOOKUP_SYMBOL	000020CA-R	SYMBOLS	ACC UTILITY	FILES	FORMAT	SUMMARY
LOOKUP_VALUE MAP_QUALIFIERS	00002106-R 0000756C-R	SYMBOLS UTILITY	ACC UTILITY	FILES	FORMAT	SUMMARY
MEMBER MESSAGE DESC MONTH DESC MSG\$ BADIONAME MSG\$ BADSTRLVL MSG\$ BADVALUE MSG\$ CLIQUAL MSG\$ CONFATTR MSG\$ CONFATTR MSG\$ TMAGEFMT MSG\$ TMAGEFMT MSG\$ TISTNOTFND MSG\$ MISSNGPARM MSG\$ MISSNGSYM MSG\$ MISSNGSYM MSG\$ MOINPTAB	00000BE8-R 00000EC4-R 00000EA0-R 009B809A 009B8022 009B80D4 009B801A 009B802A 009B808A 009B8032 009B80AA 009B80BA 009B80BA 009B80BA 009B80BA 009B80BA	ACC ACC SYMBOLMSG				

16-SEP-1984 04:24

SUMMARY

SUMMARY

SUMMARY

SUMMARY

SUMMARY

16-SEP-1984 04:24

VAX-11 Linker V04-00

8

LI

RE

LI

Page

_\$255\$DUA28:[ACC.OBJ]ACC.EXE;1

00000EE4-R

00000ECC-R

00000ED4-R

00000EDC-R

00000F64-R

00000EEC-R

00001E64-R

ACC

ACC

ACC

ACC

ACC

ACC

SUMMARY

AC

Symbol	Value	Defined By	Referenced By			
SCAN_SYMBOLS	00002134-R	SYMBOLS	ACC	FILES	FORMAT	SUMMARY
SCRSERASE_LINE SCRSERASE_PAGE SCRSGET_SCREEN	000084D0-RX 000084CC-RX 000084DC-RX	SCRSHR SCRSHR SCRSHR	UTILITY FORMAT FORMAT FORMAT	SUMMARY		
SCRSGET_SCREEN SCRSPUT_BUFFER SCRSPUT_LINE SCRSPUT_SCREEN SCRSSCREEN_INFO SCRSSET_BUFFER	000084C8-RX 000084C4-RX 000084C0-RX 000084D8-RX 000084BC-RX	SCRSHR SCRSHR SCRSHR SCRSHR SCRSHR	FORMAT FORMAT FORMAT FILES FORMAT	SUMMARY		
SCRSSET_BUFFER SCRSSET_CURSOR SCRSSET_OUTPUT SCRSSET_SCROLL SCREEN_CHAR	000084B8-RX 000084D4-RX 000084B4-RX 00001AEC-R	SCRSHR SCRSHR SCRSHR FILES	FORMAT FILES FORMAT FORMAT	SUMMARY SUMMARY		
SELECTED SHOW_RECORD	00000DAC-R 00004DD4-R	ACC FORMAT	SUMMARY ACC UTILITY	FILES	FORMAT	SUMMARY
SINCE_DATE SORSEND_SORT	00000FF8-R 000084EC-RX	ACC SORTSHR	ACC UTILITY	FILES	FORMAT	SUMMARY
SOR\$INIT_SORT	000084E8-RX	SORTSHR	ACC	FILES	FORMAT	SUMMARY
SOR\$RELEASE_REC	000084F4-RX	SORTSHR	UTILITY ACC	FILES	FORMAT	SUMMARY
SOR\$RETURN_REC	000084F0-RX	SORTSHR	UTILITY ACC	FILES	FORMAT	SUMMARY
SOR\$SORT_MERGE	000084F8-RX	SORTSHR	UTILITY ACC UTILITY	FILES	FORMAT	SUMMARY
SORT_INDEX_TABLE SORT_KEY_COUNT SORT_KEY_SIZE SORT_TABLE	0000106C-R 00001010-R 00000DB8-R 00001014-R	ACC ACC ACC ACC	SUMMARY			
START TIME DESC STATUS DESC STATUS SWITCH STATUS TEXT BUFFER	00000CD9-R 00000CD8-R 00000D90-R	ACC ACC ACC ACC	FORMAT FORMAT			
STATUS TEXT DESC STRSANALYZE SDESC STRSAPPEND	00000CEO-R 0000844C-RX 00008450-RX	ACC LIBRTL LIBRTL	FORMAT CLISINTERFACE ACC UTILITY	FILES	FORMAT	SUMMARY
STR\$COMPARE	00008454-RX	LIBRTL	ACC UTILITY	FILES	FORMAT	SUMMARY
STR\$COPY_DX STR\$DUPL_CHAR	00008448-RX 00008458-RX	LIBRTL LIBRTL	CLI\$INTERF≯CE ACC UTILITY	FILES	FORMAT	SUMMARY
STRSLEFT	0000845C-RX	LIBRTL	ACC UTILITY	FILES	FORMAT	SUMMARY
STRSPREFIX	00008460-RX	LIBRTL	ACC UTILITY	FILES	FORMAT	SUMMARY
STR\$REPLACE	00008464-RX	LIBRTL	WCC TILLA	FILES	FORMAT	SUMMARY
STR\$RIGHT	00008468-RX	LIBRTL	ACC	FILES	FORMAT	SUMMARY

Symbol	Value	Defined By	Referenced By			
STRIP_NEGATOR	00007376-R	HILLITY	UTILITY ACC	FILES	FORMAT	SUMMARY
STRIP_TRAIL	000073AA-R	UTILITY	UTILITY ACC UTILITY	FILES	FORMAT	SUMMARY
SUBTYPE_DESC SUMMARIZE	00000CE8-R 00006B4C-R	ACC Summary	FORMAT ACC UTILITY	FILES	FORMAT	SUMMARY
SUM_KEY_FAO SUM_KEY_VALUE SYMBOL_READER SYM_GET_DESC SYM_PAGE_DESC SYM_QIO_DESC SYSSASCTIM SYSSBINTIM SYSSCLI SYSSCLOSE SYSSCONNECT SYSSCREATE SYSSCREATE SYSSGET	00000F6C-R 00000F74-R '0000380-R '00000CF0-R 00000D00-R 00000CF8-R 7FFEDE18 7FFEDE18 7FFEE1B8 7FFEE1C0 7FFEE1C8 7FFEE1C8 7FFEE1C8	ACC SYMBOLS ACC ACC ACC SYS\$P1_VECTOR SYS\$P1_VECTOR SYS\$P1_VECTOR SYS\$P1_VECTOR SYS\$P1_VECTOR SYS\$P1_VECTOR SYS\$P1_VECTOR SYS\$P1_VECTOR SYS\$P1_VECTOR	SUMMARY SUMMARY FORMAT FORMAT FORMAT CVTTIME CVTTIME CLISINTERFACE ACC ACC FILES ACC ACC UTILITY	FILES		
SYSSGETTIM SYSSNUMTIM SYSSOPEN SYSSPARSE SYSSPUT S_DATE_BUF S_DATE_DESC TERMINAL_DESC TERMINAL_SWITCH TOTAL_REJECTED	7FFEDF78 7FFEDFB8 7FFEE208 7FFEE230 7FFEE188 00000E84-R 00000E90-R 00000D8-R 00000D94-R	SYSSPI_VECTOR SYSSPI_VECTOR SYSSPI_VECTOR ACC ACC ACC ACC ACC ACC ACC	CVTTIME ACC UTILITY ACC FILES UTILITY	FILES	FORMAT	SUMMARY
TUTAL SELECTED TRANSCATE_STATUS TYPE_DESC TYPE_SWITCH TYPE_TEXT_DESC UIC_BINARY_DESC UIC_BUF UIC_DESC UIC_GROUP_DESC UIC_GROUP_SWITCH UIC_KTB UIC_MEMBER_SWITCH UIC_STB UIC_SWITCH USER_DATA_DESC USER_DESC	00000DB0-R 000073E4-R 00000D10-R 00000D18-R 00000D18-R 00000D20-R 00000D38-R 00000D28-R 00000DA0-R 00000DA0-R 00000DA0-R 00000DA4-R 00000D40-R 00000D40-R 0000D40-R	ACC ACC ACC ACC ACC ACC ACC ACC ACC ACC	ACC UTILITY FORMAT FORMAT FORMAT FORMAT FORMAT FORMAT ACC FORMAT FORMAT	FILES	FORMAT	SUMMARY

_\$255\$DUAL8:[ACC.OBJ]ACC.EXE;1

AC

MA

ic

CO

KE KE KE

```
Symbols By Value !
```

Symbols...

Value CLEDITS FACILITY
ACCS FACILITY
R-KEY TABLE
R-SYMBOL HEADER
R-KEY BUF
R-HOLD BIOCNT
R-HOLD DIOCNT
R-HOLD ELAPSED
R-HOLD EXECUTION
R-HOLD FAGEFLTS
R-HOLD GETCNT
R-HOLD GETCNT
R-HOLD PAGENT
R-HOLD WSPEAK
R-HOLD CPUTIM
R-HOLD VOLUMES
R-CUSTOMER
R-RECORD LENGTH 0000009B 0000009F 00000500 00000380 00000794 00000B94 00000B98 00000B9C 00000BA4 00000RA8 00000BAC 00000880 00000BB4 98800000 00000BBC 00000BC0 00000BC4 00000BCC 00000BD0 R-RECORD_LENGTH R-RECORD_SUBTYPE R-RECORD_TYPE R-VERSION 00000BD4 00000BD8 00000BDC 00000BE0 00000BE4 R-GROUP 00000BE8 R-MEMBER R-MEMBER
R-CONVERTED_UIC
R-QUAD_CPU_TIME
R-ELAPSED_TIME
R-WAIT_TIME
R-ACCOUNT_DESC
R-ADDRESS_DESC
R-BUFFERED_IO_DESC 00000BEC 00000BF0 00000BF8 0000000 80000008 00000C10 00000018 R-CPU TIME DESC R-DIRECT ID DESC R-ENTRY DESC R-ELAPSED DESC 00000020 00000028 00000C30 00000C38 R-EXECUTION_DESC 00000040 R-EXECUTION_DESC R-FILE_DESC R-FINISH_TIME_DESC R-IDENT_DESC R-IMAGE_FILE_DESC R-IMAGE_DESC R-JOB_DESC R-NODE_DESC R-OWNER_DESC R-PAGE_FAULTS_DESC R-PAGE_FILE_DESC R-PAGE_READS_DESC R-PRIORITY_DESC 00000048 00000C50 00000058 00000060 0000068 00000070 00000c78 00000080 00000088 00000090 00000098 00000CA0

Si

A(

S() S() S()

įŞ

PE

! E

AC

```
Value
                                                                                                                                                         R-PRIVILEGE DESC
R-PROCESS DESC
R-QUEUE DESC
R-QUEUE TIME DESC
R-REMOTE ID DESC
R-START TIME DESC
R-STATUS DESC
R-STATUS TEXT DESC
R-STATUS TEXT DESC
R-STATUS TEXT DESC
R-SYM GET DESC
R-SYM GET DESC
R-SYM PAGE DESC
R-TYPE DESC
R-TYPE DESC
R-TYPE TEXT DESC
R-UIC MEMBER DESC
R-ACCOUNT SWITCH
R-IDENT SWITCH
R-IDENT SWITCH
R-IDENT SWITCH
R-PRIORITY SWITCH
R-PRIORITY SWITCH
R-PRIORITY SWITCH
R-PRIORITY SWITCH
R-UIC SWITCH
R-TYPE SWITCH
R-TYPE SWITCH
R-TYPE SWITCH
R-UIC SWITCH
       8A00000
       00000CB0
       00000CB8
       00000000
       $330000C8
       00000000
       8d300000
       00000CE0
     00000CE8
00000CF0
0000CF8
  00000CF8
00000D08
00000D10
00000D13
00000D20
00000D28
00000D30
00000D48
00000D48
00000D50
00000D58
00000D60
00000D64
00000BC
       0000000
       00000E10
       00000E54
       00000E6C
       00000E74
```

Symbols...

PR

GE

GE

Value R-S_DATE_BUF R-S_DATE_DESC R-YEAR_DESC 00000E84 00000E90 00000E98 R-MONTH DESC R-DAY DESC R-WEERDAY 00000EA0 00000EA8 00000EB0 R-WEEKDAY DESC R-HOUR DESC R-MESSAGE DESC R-REPORT HDR1 FAO R-REPORT HDR3 FAO R-REPORT DET FAO R-REPORT VALUE R-REPORT ITEMS R-BUCKET SIZE R-SUM KEY FAO R-SUM KEY VALUE R-DATE DESC ADDR R-BEFCRE DATE R-SINCE DATE R-SINCE DATE R-SINCE DATE R-SINCE DATE R-SORT TABLE R-SORT TABLE R-SORT TABLE R-RELATED NAM R-INPUT NAM 00000EB4 R-WEEKDAY DESC 00000EBC 00000EC4 00000ECC 00000ED4 00000EDC 00000EE4 00000EEC 00000F64 00000F68 00000F6C 00000F74 00000FEC 00000FF0 00000FF8 00001000 00001008 00001010 00001014 00001060 00001784 R-INPUT NAM R-OUTPUT NAM R-REJECTED NAM 000017E4 00001844 000018A4 R-REJECTED NAM
R-INPUT_XABFHC
R-INPUT_FAB
R-INPUT_RAB
R-OUTPUT_FAB
R-OUTPUT_RAB
R-REJECTED_FAB
R-REJECTED_RAB
R-SCREEN_CHAR
R-RESET_GRAPH
R-QUALIFIERS
R-UNDST_ERROR 00001904 00001930 00001980 00001964 00001A14 00001A58 00001AA8 00001AEC 00001E64 00001E84 R-QUALIFIERS
R-WORST_ERROR
R-ADD_RECORD
R-FIND_RECORD
R-DELETE_LIST
R-ADD_SYMBOL
R-LOOKUP_SYMBOL
R-LOOKUP_VALUE
R-SCAN_SYMBOLS
R-DELETE_SYMBOLS
R-DELETE_SYMBOLS
R-ALLOCATE
R-DEALLOCATE 00001F74 00001F74 00002000 00002039 00002082 000020CA 00002106 00002134 00002161 000021A4 000021F3 R-DEALLOCATE

Symbols... _____

SE

50

SC

SE

```
Value
                                                                         Symbols...
00002218
0000225B
000022E7
00002398
000023D9
00004CF0
                       R-CLISPRESENT
                       R-CLISGET_VALUE
R-CLISDCL_PARSE
                        R-CLISDISPATCH
                       R-CLISNEXT QUAL
R-PARSE OUTPUT_FILES
R-SHOW_RECORD
R-RELEASE TO_SORT
R-SUMMARIZE
00004DD4
00006AB8
00006B4C
                       R-SUMMARIZE
R-WRITE SUMMARY
R-FIND WATERMARK
R-WRITE BAR GRAPH
R-WRITE BINARY
R-STRIP NEGATOR
R-STRIP TRAIL
R-TRANSCATE STATUS
R-LOG_FILENAME
R-MAP QUALIFIERS
R-HANDLER
00006CA8
00006EC0
00007010
00007341
00007348
00007376
000073AA
000073E4
0000741B
0000756C
00007599
                        R-HANDLER
                     R-HANDLER
R-LIB$CVT_TIME
R-LIB$CVT_ATIME
R-LIB$CVT_DTIME
R-UIC_KTB
RX-STR$COPY_DX
RX-STR$ANALTZE_SDESC
0000763C
0000777D
000077A8
000079DC
                                                               R-UIC_STB
00008448
00008440
00008450
                      RX-STR$APPEND
00008454
                      RX-STR$COMPARE
                      RX-STR$DUPL_CHAR
00008458
0000845C
                      RX-STR$LEFT
00008460
                      RX-STR$PREFIX
00008464
                      RX-STR$REPLACE
00008468
                      RX-STR$RIGHT
00008460
                      RX-LIBSADDX
00008470
                      RX-LIB$SUBX
                     RX-LIB$CVT_DTB
RX-LIB$CVT_HTB
00008474
00008478
00008470
                      RX-LIBSDAY
                      RX-LIBSFILE SCAN
RX-LIBSICHAR
00008480
00008484
                      RX-LIB$LOOKUP_KEY
RX-LIB$SCOPY_DXDX
00008488
0000848C
00008490
00008494
00008498
                      RX-LIB$SIGNA[
                     RX-LIBSSYS_ASCTIM
RX-LIBSSYS_FAO
RX-LIBSSYS_FAOL
RX-LIBSTPARSE
00008490
00008440
                     RX-LIBSTREE VM
RX-LIBSGET VM
RX-SCRSSET SCROLL
RX-SCRSSET CURSOR
RX-SCRSSET_BUFFER
000084A4
00008488
000084B4
000084B8
000084BC
```

AC

SE

ER

E

E

ER

.

AC

```
Value
00008400
                         RX-SCR$PUT_SCREEN RX-SCR$PUT_LINE
00008464
                        RX-SCR$PUT_LINE
RX-SCR$PUT_BUFFER
RX-SCR$ERASE_PAGE
RX-SCR$ERASE_LINE
RX-SCR$SET_OUTPUT
RX-SCR$SCREEN_INFO
RX-SCR$GET_SCREEN
RX-SOR$INIT_SORT
RX-SOR$END_SORT
RX-SOR$RETURN_REC
RX-SOR$RELEASE_REC
RX-SOR$SORT_MERGE
CLI$ NOCOMB
00008408
000084CC
000084D0
000084D4
000084D8
000084DC
000084E8
000084EC
00008470
000084F4
000084F8
                              -SORSSORT MERGE
CLIS NOCOMD
CLIS ABSENT
CLIS NEGATED
CLIS LOCNEG
CLIS PRESENT
CLIS DEFAULTED
CLIS CONCAT
CLIS LOCPRES
CLIS COMMA
LIBS INPSTRTRU
MSGS SYMTOOLNG
000380B0
000381F0
000381F8
00038230
0003FD19
0003FD21
0003FD29
0003FD31
0003FD39
00158210
                               MSG$_SYMTOOLNG
MSG$_MISSNGSYM
009B800A
00988012
                               MSG$_BADVALUE
MSG$_BADPNAME
009B801A
009B8022
009B802A
                               MSG$_CLIQUAL
MSG$_DUPSYM
009B8032
                               MSG$_LISTNOTFND
MSG$_MULTCHNG
009B803A
009B8042
009B804A
                               MSG$_NOPROMPT
009B8052
                               MSG$ NOROOM
                              MSGS_NOROOM
MSGS_NOVERBS
MSGS_TOOMNYGST
MSGS_TOOMNYINP
MSGS_TOOMNYOUT
MSGS_TOOMNYMOD
MSGS_GRPTOOBIG
MSGS_CONFATTR
MSGS_VERBNOTFND
009B805A
00988062
009B806A
009B8072
009B807A
009B8082
009B808A
009B8092
0098809A
                                MSG$_BADIONAME
                               MSG$ NOINPTAB
MSG$ EMPTYDEF
009B80A2
009B80AA
                               MSG$_NOSUCHRIN
MSG$_MISSNGPARM
009B80B2
009B80BA
                               MSGS_MISSNGPARM
MSGS_NOMODS
MSGS_IMAGEFMI
MSGS_BADSTRLVL
ACCS_INPUT
ACCS_MERGE
ACCS_TOTAL
009B80C3
009B80CC
009B80D4
009f800B
009F8013
009f801B
```

Symbols...

GE

GE

Value		Symbols
009f 8020	ACCS_TITLETRUNC	
009f8028 7ffEDE18	ACC\$_INVACCREC	
7FFEDE48	SYS \$ ČLI SYS \$ ASČTIM	
7FFEDE58	SYS\$BINTIM	
7FFEDF78	SYS\$GETTIM	
7FFEDFB8	SYSSNUMTIM	
7FFEEOBO	SYS\$GETMSG	
7FFEE180	SYS\$GET	
7FFEE188	SYS \$ PUT	
7FFEE1B8	SYS \$ CLOSE	
7FFEE1CO	SYS\$CONNECT	
7FFEE1C8	SYS S CREATE	
7FFEE208	SYS\$OPEN	
7FFEE230	SYS\$PARSE	
7FFEE278	SYS \$ FILESCAN	

Key for special characters above:

+ - UndefinedU - UniversalR - RelocatableX - External

SE

AC

SE

BOLMSG), RESOBJS: CLIUTL/INCLUDE=CVTTIME, SYSSINPUT/OPTION

PSECT=SOR\$KEYCODE, NOEXE

A(

```
! Image Synopsis
Virtual memory allocated:
                                                    00000200 000087ff 00008600 (34304. bytes, 67. pages)
Stack size:
                                                           20. pages
Image header virtual block limits:
                                                           1.
                                                                              1. block)
Image binary virtual block limits:
                                                                     67. (
                                                                             66. blocks)
                                                    ACC V04-000
Image name and identification:
Number of files:
Number of modules:
                                                           16.
Number of program sections:
Number of global symbols:
Number of cross references:
                                                          961.
Number of image sections:
                                                           15.
                                                    00002410
User transfer address:
Number of code references to shareable images:
Image type:
                                                     EXECUTABLE.
Map format:
                                                    FULL WITH CROSS REFERENCE in file _$255$DUA28:[ACC.LIS]ACC.MAP;1
Estimated map length:
                                                    189. blocks
                                                  Link Run Statistics!
Performance Indicators
                                                    Page Faults
                                                                   CPU Time
                                                                                    Elapsed Time
    Command processing:
                                                                   00:00:00.41
                                                                                    00:00:00.98
                                                             224
    Pass 1:
                                                                   00:00:03.09
                                                                                    00:00:10.59
    Allocation/Relocation:
                                                                   00:00:00.27
                                                                                    00:00:00.94
                                                              97
    Pass 2:
                                                                   00:00:01.92
                                                                                    00:00:07.39
    Map data after object module synopsis:
                                                                   00:00:02.17
                                                                                    00:00:02.55
    Symbol table output:
                                                                   00:00:00.03
                                                                                    00:00:00.53
Total run values:
                                                                   00:00:07.89
                                                                                    00:00:22.98
Using a working set limited to 1350 pages and 120 pages of data storage (excluding image)
Total number object records read (both passes): 1107 of which 535 were in libraries and 77 were DEBUG data records containing 5708 bytes
Number of modules extracted explicitly
    with 4 extracted to resolve undefined symbols
55 library searches were for symbols not in the library searched
A total of O global symbol table records was written
LINK/USERLIB=PROC/EXE=EXES:ACC/MAP=MAPS:ACC/FULL/CROSS/NOTRACE LIBS:ACC/INCLUDE=(ACC,ACCMSG,FILES,FORMAT,SUMMARY,UTILITY,SYMBOLS,SYM
```

0001 AH-BT13A-SE VAX/VMS V4.0

DIGITAL EQUIPMENT CORPORATION CONFIDENTIAL AND PROPRIETARY

